

Extinct Species List

Common Name	Scientific Name	2005 SGCN Rank	2015 SGCN Rank	State Protection Status	ESA Status	SGCN 2025 Rank(s)	Notes
Bachman's Warbler	<i>Vermivora bachmanii</i>	EX	EX	SP	PXN	Extinct	
Carolina Parakeet	<i>Conuropsis carolinensis</i>	EX	EX	N/A		Extinct	
Passenger Pigeon	<i>Ectopistes migratorius</i>	EX	EX	N/A		Extinct	

Extint	3	
Extirpated	5	
P1s	12	
P2s	19	
P3s	31	70
NonSGCNs	430	
	500	

Extirpated Species List

Common Name	Scientific Name	2005 SGCN Rank	2015 SGCN Rank	State Protection Status	ESA Status	SGCN 2025 Rank(s)	Notes
Appalachian Bewick's Wren	<i>Thryomanes bewickii bewickii</i>	N/A	N/A	SP		Extirpated	Was not ranked previously and was left at species level last ranking
Bewick's Wren	<i>Thryomanes bewickii</i>	1	1	SP		Extirpated	Last confirmed nesting in the 70s, breeding season sightings in the 80s. Last detected on BBS route in 1996. now casual vagrant non-breeding seasons
Common Raven	<i>Corvus corax</i>	EX	EX	N/A		Extirpated	Not current breeder, one accepted 2002 sighting from Northeast AL, used to be uncommon resident
Ivory-billed Woodpecker	<i>Campephilus principalis</i>	EX	EX	SP	PXN	Extirpated	habitat still exists.
Mississippi Sandhill Crane	<i>Antigone canadensis pulla</i>	N/A	N/A	SP	LE	Extirpated	Few birds from crane refuge coming to Bayou le Batre area. FWS looking at reintroducing more into Grand Bay Refuge- early discussions about this.

SGCN Species List (Proposed)

Common Name	Scientific Name	2005 SGCN Rank	2015 SGCN Rank	State Protection Status	ESA Status	SGCN 2025 Rank(s)	Notes
American Bittern	<i>Botaurus lentiginosus</i>	3	3	SP		P3	Wetland specialist- habitat vulnerability. Regularly occurring, nonbreeding species. Detection is hard.
American Black Duck	<i>Anas rubripes</i>	2	2	GB		P3	Habitat vulnerability with threats from inbreeding and destruction. Ebird showing decrease in the state. Only small breeding presence in AL, unchanged.
American Kestrel	<i>Falco sparverius</i>	2	3	SP		P3	Appear to be declining in many areas.
American Oystercatcher	<i>Haematopus palliatus</i>	2	1	SP		P1	Meets all 4 criteria. Only 10-12 pairs in state.
American Woodcock	<i>Scolopax minor</i>	2	3	GB		P3	A lot of monitoring going on, easy to find in winter and like disturbance. Need more research
Bachman's Sparrow	<i>Peucaea aestivalis</i>	2	2	SP		P2	Increase of some populations, not statewide- limited distribution, habitat vulnerability. Still missing from some areas. Research needs.
American Barn Owl	<i>Tyto furcata</i>	3	3	SP		P3	Declining, rarity based on limited nesting areas, problems with habitat change.

Eastern Black Rail	<i>Laterallus jamaicensis jamaicensis</i>	N/A	N/A	N/A	LT	P1	Rarity, habitat vulnerability, declining population. Probably has bred historically on coast but not confirmed. Decreasing detections, nine from 2000-presentm, only 1 since 2010.
Black Rail	<i>Laterallus jamaicensis</i>	2	2	GB	SC		**deleting off list
Black Skimmer	<i>Rynchops niger</i>	4	3	SP		P1	restricted distribution, rarity, decreasing trends, threats
Black-crowned Night-heron	<i>Nycticorax nycticorax</i>	3	3	SP		P3	Limited distribution, uncommon and local
Blue-winged Warbler	<i>Vermivora cyanoptera</i>	3	3	SP		P3	limited distribution, declining population
Caspian Tern	<i>Hydroprogne caspia</i>	4	4	SP		P3	Limited distribution, habitat vulnerability on the coast
Cerulean Warbler	<i>Setophaga cerulea</i>	1	1	SP		P1	Meets all 4 categories
Chimney Swift	<i>Chaetura pelagica</i>	4	3	SP		P3	Declining, habitat vulnerability.
Chuck-will's-widow	<i>Antrostomus carolinensis</i>	3	3	SP		P3	declining, habitat vulnerability
Clapper Rail	<i>Rallus crepitans</i>	3	3	GB	SC	P3	Limited to wetlands, habitat vulnerability with climate change and marsh loss. Unsure of trends- need research.
Common Ground-dove	<i>Columbina passerina</i>	3	3	SP		P3	Limited distribution, habitat vulnerability
Common Nighthawk	<i>Chordeiles minor</i>	4	3	SP		P2	Declining population, rarity, habitat vulnerability with loss of insects.
Common Tern	<i>Sterna hirundo</i>	4	3	SP		P2	Declining Population, habitat vulnerability, limited distribution, rarity.
Dickcissel	<i>Spiza americana</i>	3	3	SP		P3	Habitat vulnerability, patchy limited distribution though can be locally abundant.
Eastern Meadowlark	<i>Sturnella magna</i>	4	3	SP		P3	Declining, habitat vulnerability
Eastern Willet	<i>Tringa semipalmata</i> ____	N/A	N/A	SP		P2	restricted habitat, small population, habitat vulnerability on coast, not much known, possibly declining population. (Split from Western Willet)
Field Sparrow	<i>Spizella pusilla</i>	4	3	SP		P3	declining, habitat vulnerability from pine forest practices changing.
Golden Eagle	<i>Aquila chrysaetos</i>	3	2	SP		P2	Conservation plan was just published, rarity, limited distribution
Grasshopper Sparrow	<i>Ammodramus savannarum</i>	3	3	SP	SC	P2	Habitat specialist- vulnerability, limited distribution, moderate declines
Green Heron	<i>Butorides virescens</i>	3	3	SP		P3	Declining, hard to monitor and need work on this species, rarity when found- small numbers.
Gull-billed Tern	<i>Gelochelidon nilotica</i>	4	2	SP		P2	Rarity, not as big of numbers as other tern species, habitat vulnerability on the coast, limited distribution
Henslow's Sparrow	<i>Centronyx henslowii</i>	1	1	SP		P1	habitat vulnerability, rarity, limited distribution, declining population
King Rail	<i>Rallus elegans</i>	3	2	GB	SC	P2	increased dramatically in Chattahoochee River drainage-Barbour/Bullock, decreasing in ?
Le Conte's Sparrow	<i>Ammospiza leconteii</i>	3	3	SP		P3	remains same
Least Bittern	<i>Botaurus exilis</i>	2	2	SP		P2	They are more abundant because of silting, but not enough to change status
Least Tern	<i>Sternula antillarum</i>	3	3	SP		P2	small, rarity, don't have good production, habitat vulnerability along coast, declining

Little Blue Heron	<i>Egretta caerulea</i>	4	3	SP		P3	remain same
Loggerhead Shrike	<i>Lanius ludovicianus</i>	3	2	SP	SC	P2	declining population, habitat vulnerability, rarity in NW AL
Seaside Sparrow	<i>Ammodramos maritima fisheri</i>	N/A	N/A	SP		P2	only subspecies of Seaside Sparrow found in Alabama
Marian's Marsh Wren	<i>Cistothorus palustris marianae</i>	N/A	N/A	N/A		P3	breeding subspecies in the state, not migratory, low in numbers, declining, habitat vulnerability, but need more data- data deficient.
Mottled Duck	<i>Anas fulvigula</i>	3	2	GB		P2	decreasing, habitat vulnerability, limited distribution.
Nelson's Sparrow	<i>Ammodramos nelsoni</i>	2	2	SP		P2	no change from previous rank, limited distribution, habitat vulnerability
Northern Bobwhite	<i>Colinus virginianus</i>	4	3	GB		P2	Habitat vulnerability, declining population, rarity
Northern Flicker	<i>Colaptes auratus</i>	4	3	SP		P3	Declining, wide distribution
Northern Harrier	<i>Circus hudsonius</i>	2	3	SP		P3	declining, no change from previous rank but questioning their habitat vulnerability with habitat alterations. Possible historical occasional nesting in TN Valley.
Painted Bunting	<i>Passerina ciris</i>	N/A	3	SP		P3	insufficient data but expanding locally on Inland Coastal Plain
Piping Plover	<i>Charadrius melodus</i>	1	1	SP	LT	P1	Same as previous ranking, federally listed species
Prothonotary Warbler	<i>Protonotaria citrea</i>	3	3	SP		P3	Same as previous ranking
Purple Gallinule	<i>Porphyrio martinicus</i>	3	3	GB		P3	Same as previous ranking, increasing because of silting in certain areas.
Purple Martin	<i>Progne subis</i>	5	4	SP		P3	declining population, habitat vulnerability
Red Knot	<i>Calidris canutus rufa</i>	N/A	N/A	N/A	LT	P1	declining population, limited distribution, habitat vulnerability on the coast, rarity.
Red Knot	<i>Calidris canutus</i>	4	2	SP	LT		
Red-cockaded Woodpecker	<i>Dryobates borealis</i>	1	1	SP	LT	P2	Population has doubled in last 10 years, approximately 450-460 known* total clusters on private and public lands in Alabama. Federal status downlisted
Reddish Egret	<i>Egretta rufescens</i>	2	2	SP		P1	declining population, limited distribution, rarity, habitat vulnerability
Rusty Blackbird	<i>Euphagus carolinus</i>	3	2	N/A		P2	Declining population, rarity, limited distribution possibly? Same as previous ranking.
Sandwich Tern	<i>Thalasseus sandvicensis</i>	4	4	SP		P3	200 pairs or less, stable but productivity is low, habitat vulnerability on the coast, limited distribution. Opportunistic breeder that may respond to improved habitat protection.
Seaside Sparrow	<i>Ammodramos maritima</i>	2	2	SP		P2	only ranking subspecies that comes in Alabama
Snowy Plover	<i>Anarhynchus nivosus</i>	1	1	SP		P1	Same as previous ranking, very low numbers
Southeastern American Kestrel	<i>Falco sparverius paulus</i>	2	2	SP		P1	Meet all 4 criteria: limited distribution, declining population, habitat vulnerability, rarity, and need more information on all aspects
Southeastern Snowy Plover	<i>Charadrius nivosus nivosus</i>	N/A	N/A	SP		P1	
Swallow-tailed Kite	<i>Elanoides forficatus</i>	2	2	SP		P3	Increasing population, overall imperiled, habitat vulnerability
Tricolored Heron	<i>Egretta tricolor</i>	4	3	SP		P3	Same as previous rank
Vesper Sparrow	<i>Pooecetes gramineus</i>	N/A	3	SP		P3	Same as previous rank, declining, habitat vulnerability

Eastern Whip-poor-will	<i>Antrostomus vociferus</i>	3	3	SP		P3	Same as previous rank, declining, habitat vulnerability
Whooping Crane	<i>Grus americana</i>	N/A	N/A	SP	LE,XN	NonSGCN	***Need to come back to this after gathering more information***; AL Bird records committee moved it from Category B (which was the old "hypothetical") to the main list and it is now officially considered a regular species (based on re-introduction though still small Eastern population)
Wilson's Plover	<i>Anarhynchus wilsonia</i>	1	1	SP		P1	Same as previous rank
Wood Stork	<i>Mycteria americana</i>	2	2	SP	LT	P3	Increasing population but still federally listed.
Yellow Rail	<i>Coturnicops noveboracensis</i>	2	2	GB		P2	Same as previous rank

NonSGCN Species List

Common Name	Scientific Name	2005 SGCN Rank	2015 SGCN Rank	State Protection Status	ESA Status	SGCN 2025 Rank(s)	Notes
Acadian Flycatcher	<i>Empidonax virescens</i>	4	4	SP		NonSGCN	
Alder Flycatcher	<i>Empidonax alnorum</i>	N/A	N/A	SP		NonSGCN	
American Avocet	<i>Recurvirostra americana</i>	4	4	SP		NonSGCN	
American Coot	<i>Fulica americana</i>	4	4	GB		NonSGCN	
American Crow	<i>Corvus brachyrhynchos</i>	5	5	N/A		NonSGCN	
American Golden-plover	<i>Pluvialis dominica</i>	N/A	N/A	SP		NonSGCN	
American Goldfinch	<i>Spinus tristis</i>	5	5	SP		NonSGCN	
American Pipit	<i>Anthus rubescens</i>	4	4	SP		NonSGCN	
American Redstart	<i>Setophaga ruticilla</i>	4	4	SP		NonSGCN	
American Robin	<i>Turdus migratorius</i>	5	4	SP		NonSGCN	
American Tree Sparrow	<i>Spizelloides arborea</i>	N/A	N/A	SP		NonSGCN	
American White Pelican	<i>Pelecanus erythrorhynchos</i>	4	5	SP		NonSGCN	
American Wigeon	<i>Mareca americana</i>	N/A	N/A	GB		NonSGCN	
Anhinga	<i>Anhinga anhinga</i>	4	4	SP		NonSGCN	
Anna's Hummingbird	<i>Calypte anna</i>	N/A	N/A	SP		NonSGCN	

Ash-throated Flycatcher	<i>Myiarchus cinerascens</i>	N/A	N/A	SP		NonSGCN	
Baird's Sandpiper	<i>Calidris bairdii</i>	N/A	N/A	SP		NonSGCN	
Bald Eagle	<i>Haliaeetus leucocephalus</i>	3	4	SP		NonSGCN	Increasing population
Baltimore Oriole	<i>Icterus galbula</i>	5	4	SP		NonSGCN	as breeder is decreasing
Band-rumped Storm-petrel	<i>Hydrobates castro</i>	N/A	N/A	SP		NonSGCN	
Bank Swallow	<i>Riparia riparia</i>	N/A	N/A	SP		NonSGCN	no confirmed breeding in 60 years
Barn Swallow	<i>Hirundo rustica</i>	4	4	SP		NonSGCN	
Barred Owl	<i>Strix varia</i>	4	5	SP		NonSGCN	
Bay-breasted Warbler	<i>Setophaga castanea</i>	N/A	N/A	SP		NonSGCN	
Bell's Vireo	<i>Vireo bellii</i>	N/A	N/A	SP		NonSGCN	
Belted Kingfisher	<i>Megaceryle alcyon</i>	3	3	SP		NonSGCN	Widely distributed, still declining but no habitat vulnerability.
Black Scoter	<i>Melanitta americana</i>	N/A	N/A	GB		NonSGCN	
Black Tern	<i>Chlidonias niger</i>	N/A	N/A	SP		NonSGCN	Waterbird Conservation Plan has them as focal species
Black Vulture	<i>Coragyps atratus</i>	5	5	SP		NonSGCN	
Black-and-white Warbler	<i>Mniotilta varia</i>	4	4	SP		NonSGCN	
Black-bellied Plover	<i>Pluvialis squatarola</i>	4	4	SP		NonSGCN	
Black-bellied Whistling-duck	<i>Dendrocygna autumnalis</i>	N/A	N/A	GB		NonSGCN	continuing expansion now reaching throughout the state
Black-billed Cuckoo	<i>Coccyzus erythrophthalmus</i>	N/A	N/A	SP		NonSGCN	low-level transient, single confirmed nesting in Bibb county, 2 other possible.
Blackburnian Warbler	<i>Setophaga fusca</i>	N/A	N/A	SP		NonSGCN	
Black-chinned Hummingbird	<i>Archilochus alexandri</i>	N/A	N/A	SP		NonSGCN	
Black-headed Grosbeak	<i>Pheucticus melanocephalus</i>	N/A	N/A	SP		NonSGCN	
Black-legged Kittiwake	<i>Rissa tridactyla</i>	N/A	N/A	SP		NonSGCN	
Black-necked Stilt	<i>Himantopus mexicanus</i>	4	4	SP		NonSGCN	
Blackpoll Warbler	<i>Setophaga striata</i>	N/A	N/A	SP		NonSGCN	
Black-throated Blue Warbler	<i>Setophaga caeruleascens</i>	N/A	N/A	SP		NonSGCN	
Black-throated Green Warbler	<i>Setophaga virens</i>	5	4	SP		NonSGCN	
Black-whiskered Vireo	<i>Vireo altiloquus</i>	N/A	N/A	SP		NonSGCN	
Blue Grosbeak	<i>Passerina caerulea</i>	N/A	5	SP		NonSGCN	

Blue Jay	<i>Cyanocitta cristata</i>	4	4	SP		NonSGCN	
Blue-gray Gnatcatcher	<i>Polioptila caerulea</i>	4	5	SP		NonSGCN	
Blue-headed Vireo	<i>Vireo solitarius</i>	5	4	SP		NonSGCN	
Blue-winged Teal	<i>Spatula discors</i>	N/A	N/A	GB		NonSGCN	
Boat-tailed Grackle	<i>Quiscalus major</i>	4	3	N/A		NonSGCN	expanding range- Eufaula, Geneva, but limited distribution still. Population stable
Bobolink	<i>Dolichonyx oryzivorus</i>	N/A	N/A	SP		NonSGCN	
Bonaparte's Gull	<i>Chroicocephalus philadelphia</i>	5	5	SP		NonSGCN	
Brewer's Blackbird	<i>Euphagus cyanocephalus</i>	4	4	N/A		NonSGCN	
Bridled Tern	<i>Onychoprion anaethetus</i>	N/A	N/A	SP		NonSGCN	
Broad-billed Hummingbird	<i>Cynanthus latirostris</i>	N/A	N/A	SP		NonSGCN	single occurence nesting (eggs) in Baldwin County 2011.
Broad-winged Hawk	<i>Buteo platypterus</i>	3	4	SP		NonSGCN	
Brown Booby	<i>Sula leucogaster</i>	N/A	N/A	SP		NonSGCN	
Brown Creeper	<i>Certhia americana</i>	3	4	SP		NonSGCN	
Brown Noddy	<i>Anous stolidus</i>	N/A	N/A	SP		NonSGCN	
Brown Pelican	<i>Pelecanus occidentalis</i>	4	4	SP		NonSGCN	
Brown Thrasher	<i>Toxostoma rufum</i>	4	4	SP		NonSGCN	
Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>	N/A	N/A	SP		NonSGCN	
Brown-headed cowbird	<i>Molothrus ater</i>	5	5	N/A		NonSGCN	stable in Alabama
Brown-headed Nuthatch	<i>Sitta pusilla</i>	3	4	SP		NonSGCN	
Buff-bellied Hummingbird	<i>Amazilia yucatanensis</i>	N/A	N/A	SP		NonSGCN	
Buff-breasted Sandpiper	<i>Calidris subruficollis</i>	N/A	N/A	SP		NonSGCN	
Bufflehead	<i>Bucephala albeola</i>	3	4	GB		NonSGCN	
Bullock's Oriole	<i>Icterus bullockii</i>	N/A	N/A	SP		NonSGCN	
Burrowing Owl	<i>Athene cunicularia</i>	N/A	N/A	SP		NonSGCN	
California Gull	<i>Larus californicus</i>	N/A	N/A	SP		NonSGCN	
Canada Goose	<i>Branta canadensis</i>	5	5	GB		NonSGCN	
Canada Warbler	<i>Cardellina canadensis</i>	N/A	N/A	SP		NonSGCN	
Canvasback	<i>Aythya valisineria</i>	3	4	GB		NonSGCN	

Cape May Warbler	<i>Setophaga tigrina</i>	N/A	N/A	SP		NonSGCN	
Carolina Chickadee	<i>Poecile carolinensis</i>	4	4	SP		NonSGCN	
Carolina Wren	<i>Thryothorus ludovicianus</i>	5	5	SP		NonSGCN	
Cattle Egret	<i>Bubulcus ibis</i>	5	5	SP		NonSGCN	
Cave Swallow	<i>Petrochelidon fulva</i>	N/A	N/A	SP		NonSGCN	increasing visitor, mostly spring, to coast and casually inland. has bred along AL border in GA.
Cedar Waxwing	<i>Bombycilla cedrorum</i>	5	5	SP		NonSGCN	Sporadic breeder, mostly north AL
Chestnut-collared Longspur	<i>Calcarius ornatus</i>	N/A	N/A	SP		NonSGCN	
Chestnut-sided Warbler	<i>Setophaga pensylvanica</i>	N/A	3	SP		NonSGCN	peripheral distribution but abundant population. Sporadic rare breeder north AL.
Chipping Sparrow	<i>Spizella passerina</i>	5	5	SP		NonSGCN	
Cinnamon Teal	<i>Spatula cyanoptera</i>	N/A	N/A	GB		NonSGCN	
Clark's Nutcracker	<i>Nucifraga columbiana</i>	N/A	N/A	N/A		NonSGCN	
Clay-colored Sparrow	<i>Spizella pallida</i>	N/A	N/A	SP		NonSGCN	
Cliff Swallow	<i>Petrochelidon pyrrhonota</i>	4	5	SP		NonSGCN	
Common Gallinule	<i>Gallinula galeata</i>	4	4	GB		NonSGCN	
Common Goldeneye	<i>Bucephala clangula</i>	4	4	GB		NonSGCN	
Common Grackle	<i>Quiscalus quiscula</i>	4	4	N/A		NonSGCN	Declining but found everywhere.
Common Loon	<i>Gavia immer</i>	3	5	SP		NonSGCN	
Common Merganser	<i>Mergus merganser</i>	4	4	GB		NonSGCN	
Common Redpoll	<i>Acanthis flammea</i>	N/A	N/A			NonSGCN	
Common Snipe	<i>Gallinago delicata</i>	4	4	GB		NonSGCN	
Common Yellowthroat	<i>Geothlypis trichas</i>	4	4	SP		NonSGCN	
Connecticut Warbler	<i>Oporornis agilis</i>	N/A	N/A	SP		NonSGCN	
Cooper's Hawk	<i>Accipiter cooperii</i>	4	4	SP		NonSGCN	
Cordilleran Flycatcher	<i>Empidonax occidentalis</i>	N/A	N/A	N/A		NonSGCN	*taxonomic change
Cory's Shearwater	<i>Calonectris diomedea</i>	N/A	N/A	SP		NonSGCN	
Costa's Hummingbird	<i>Calypte costae</i>	N/A	N/A	N/A		NonSGCN	

Crested Caracara	<i>Caracara plancus</i>	N/A	N/A	SP		NonSGCN	
Dark-eyed Junco	<i>Junco hyemalis</i>	4	5	SP		NonSGCN	
Double-Crested Cormorant	<i>Nannopterum auritum</i>	5	5	SP		NonSGCN	
Downy Woodpecker	<i>Dryobates pubescens</i>	3	4	SP		NonSGCN	
Dunlin	<i>Calidris alpina</i>	4	4	SP		NonSGCN	
Dusky Flycatcher	<i>Empidonax oberholseri</i>	N/A	N/A	SP		NonSGCN	
Eared Grebe	<i>Podiceps nigricollis</i>	4	N/A	SP		NonSGCN	
Eastern Bluebird	<i>Sialia sialis</i>	5	5	SP		NonSGCN	
Eastern Kingbird	<i>Tyrannus tyrannus</i>	4	4	SP		NonSGCN	
Eastern Phoebe	<i>Sayornis phoebe</i>	5	5	SP		NonSGCN	
Eastern Screech- owl	<i>Megascops asio</i>	3	4	SP		NonSGCN	
Eastern Towhee	<i>Pipilo erythrophthalmus</i>	4	4	SP		NonSGCN	
Eastern Wood-pewee	<i>Contopus virens</i>	4	3	SP		NonSGCN	declining but wide distribution
Eurasian Collared-dove	<i>Streptopelia decaocto</i>	N/A	N/A	GB		NonSGCN	
Eurasian Wigeon	<i>Mareca penelope</i>	N/A	N/A	GB		NonSGCN	
Eurasian Woodcock	<i>Scolopax rusticola</i>	N/A	N/A	GB		NonSGCN	removed from AOS records
European Starling	<i>Sturnus vulgaris</i>	N/A	N/A	N/A		NonSGCN	
Evening Grosbeak	<i>Coccothraustes vespertinus</i>	5	3	SP		NonSGCN	transient, can't do management for them. Marked decrease in visitation to Eastern N America for several decades
Fish Crow	<i>Corvus ossifragus</i>	4	5	N/A		NonSGCN	
Fork-tailed Flycatcher	<i>Tyrannus savana</i>	N/A	N/A	SP		NonSGCN	
Forster's Tern	<i>Sterna forsteri</i>	4	4	SP		NonSGCN	
Fox Sparrow	<i>Passerella iliaca</i>	4	5	SP		NonSGCN	
Franklin's Gull	<i>Leucophaeus pipixcan</i>	N/A	N/A	SP		NonSGCN	
Fulvous Whistling-duck	<i>Dendrocygna bicolor</i>	N/A	N/A	GB		NonSGCN	Single historical nesting Clarke Co. significantly fewer records recent decades.
Gadwall	<i>Mareca strepera</i>	N/A	N/A	GB		NonSGCN	Single historical nesting Limestone Co.
Glaucous Gull	<i>Larus hyperboreus</i>	N/A	N/A	SP		NonSGCN	
Glaucous-winged Gull	<i>Larus glaucescens</i>	N/A	N/A	N/A		NonSGCN	

Glossy Ibis	<i>Plegadis falcinellus</i>	4	3	SP		NonSGCN	habitat specialist, peripheral distribution
Golden-crowned Kinglet	<i>Regulus satrapa</i>	5	5	SP		NonSGCN	
Golden-winged warbler	<i>Vermivora chrysoptera</i>	N/A	N/A	SP		NonSGCN	
Gray Catbird	<i>Dumetella carolinensis</i>	5	4	SP		NonSGCN	
Gray-cheeked Thrush	<i>Catharus minimus</i>	N/A	N/A	SP		NonSGCN	
Gray Kingbird	<i>Tyrannus dominicensis</i>	3	3	SP		NonSGCN	peripheral distribution, breeds in state but only ~4pairs breeding.
Great Black-backed Gull	<i>Larus marinus</i>	5	N/A	SP		NonSGCN	
Great Blue Heron	<i>Ardea herodias</i>	4	4	SP		NonSGCN	
Great Crested Flycatcher	<i>Myiarchus crinitus</i>	5	5	SP		NonSGCN	
Great Egret	<i>Ardea alba</i>	4	4	SP		NonSGCN	
Great Horned Owl	<i>Bubo virginianus</i>	3	4	SP		NonSGCN	
Greater Sandhill Crane	<i>Antigone canadensis tabida</i>	N/A	N/A	SP		NonSGCN	Needs to be updated to a GB for state protection*
Greater Scaup	<i>Aythya marila</i>	4	3	GB		NonSGCN	not many found in Alabama, one of most abundant waterfowl rangewide though. Stable population
Greater Shearwater	<i>Ardenna gravis</i>	N/A	N/A	SP		NonSGCN	
Greater White-fronted Goose	<i>Anser albifrons</i>	5	5	GB		NonSGCN	Noticeable increase in recent decades.
Greater Yellowlegs	<i>Tringa melanoleuca</i>	4	4	SP		NonSGCN	
Green Violetear	<i>Colibri thalassinus</i>	N/A	N/A	SP		NonSGCN	
Green-winged Teal	<i>Anas crecca</i>	5	5	GB		NonSGCN	
Groove-billed Ani	<i>Crotophaga sulcirostris</i>	N/A	N/A	SP		NonSGCN	
Hairy Woodpecker	<i>Dryobates villosus</i>	3	4	SP		NonSGCN	declining population
Hammond's Flycatcher	<i>Empidonax hammondii</i>	N/A	N/A	SP		NonSGCN	
Harris' Sparrow	<i>Zonotrichia querula</i>	N/A	N/A	SP		NonSGCN	
Hermit Thrush	<i>Catharus guttatus</i>	5	5	SP		NonSGCN	
Herring Gull	<i>Larus argentatus</i>	4	4	SP		NonSGCN	
Hooded Merganser	<i>Lophodytes cucullatus</i>	3	4	GB		NonSGCN	
Hooded Oriole	<i>Icterus cucullatus</i>	N/A	N/A	N/A		NonSGCN	

Hooded Warbler	<i>Setophaga citrina</i>	4	5	SP		NonSGCN	
Horned Grebe	<i>Podiceps auritus</i>	3	4	SP		NonSGCN	coastal waterfowl survey picks them up and they are found in TN Valley area.
Horned Lark	<i>Eremophila alpestris</i>	4	4	SP		NonSGCN	
House Finch	<i>Haemorhous mexicanus</i>	5	5	N/A		NonSGCN	
House Sparrow	<i>Passer domesticus</i>	N/A	N/A	N/A		NonSGCN	
House Wren	<i>Troglodytes aedon</i>	5	5	SP		NonSGCN	
Hudsonian Godwit	<i>Limosa haemastica</i>	N/A	N/A	SP		NonSGCN	
Iceland Gull	<i>Larus glaucoides</i>	N/A	N/A	SP		NonSGCN	Now includes Thayer's Gull
Inca Dove	<i>Columbina inca</i>	N/A	N/A	N/A		NonSGCN	
Indigo Bunting	<i>Passerina cyanea</i>	4	4	SP		NonSGCN	
Kentucky Warbler	<i>Geothlypis formosa</i>	2	4	SP		NonSGCN	stable population, widespread
Killdeer	<i>Charadrius vociferus</i>	5	4	SP		NonSGCN	
King Eider	<i>Somateria spectabilis</i>	N/A	N/A	GB		NonSGCN	
La Sagra's Flycatcher	<i>Myiarchus sagrae</i>	N/A	N/A	SP		NonSGCN	
Lapland Longspur	<i>Calcarius lapponicus</i>	5	5	SP		NonSGCN	
Lark Sparrow	<i>Chondestes grammacus</i>	4	4	SP		NonSGCN	Slowly expanding as breeder, still mostly TN Valley and Inland Coastal Plain
Laughing Gull	<i>Leucophaeus atricilla</i>	5	5	SP		NonSGCN	
Leach's Storm- petrel	<i>Hydrobates leucorhous</i>	N/A	N/A	SP		NonSGCN	
Least Flycatcher	<i>Empidonax minimus</i>	N/A	N/A	SP		NonSGCN	
Least Sandpiper	<i>Calidris minutilla</i>	4	4	SP		NonSGCN	
Lesser Black- backed Gull	<i>Larus fuscus</i>	N/A	N/A	SP		NonSGCN	
Lesser Nighthawk	<i>Chordeiles acutipennis</i>	N/A	N/A	SP		NonSGCN	
Lesser Scaup	<i>Aythya affinis</i>	4	3	GB		NonSGCN	decreasing but still high numbers
Lesser Yellowlegs	<i>Tringa flavipes</i>	4	4	SP		NonSGCN	
Limpkin	<i>Aramus guarauna</i>	N/A	N/A	SP		NonSGCN	Marked increase in visitation last decade. Possibly has bred in Covington County.
Lincoln's Sparrow	<i>Melospiza lincolni</i>	4	4	SP		NonSGCN	
Little Gull	<i>Hydrocoloeus minutus</i>	N/A	N/A	SP		NonSGCN	

Long-billed Curlew	<i>Numenius americanus</i>	N/A	N/A	SP		NonSGCN	
Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	N/A	3	SP		NonSGCN	stable
Long-tailed Duck	<i>Clangula hyemalis</i>	N/A	N/A	GB		NonSGCN	
Louisiana Waterthrush	<i>Parkesia motacilla</i>	3	4	SP		NonSGCN	
MacGillivray's Warbler	<i>Geothlypis tolmiei</i>	N/A	N/A	SP		NonSGCN	
Magnificent Frigatebird	<i>Fregata magnificens</i>	N/A	N/A	SP		NonSGCN	
Magnolia Warbler	<i>Setophaga magnolia</i>	N/A	N/A	SP		NonSGCN	
Mallard	<i>Anas platyrhynchos</i>	4	5	GB		NonSGCN	
Mangrove Cuckoo	<i>Coccyzus minor</i>	N/A	N/A	N/A		NonSGCN	
Marbled Godwit	<i>Limosa fedoa</i>	3	3	SP		NonSGCN	incidentals
Marsh Wren	<i>Cistothorus palustris (palustris group including marianae)</i>	3	3	SP		NonSGCN	This is the wintering species in Alabama, not as much concern as the breeding subspecies.
Masked Booby	<i>Sula dactylatra</i>	N/A	N/A	SP		NonSGCN	
Merlin	<i>Falco columbarius</i>	3	3	SP		NonSGCN	increasing population, tolerant of disturbance now
Mississippi Kite	<i>Ictinia mississippiensis</i>	4	4	SP		NonSGCN	
Mountain Plover	<i>Charadrius montanus</i>	N/A	N/A	SP		NonSGCN	
Mourning Dove	<i>Zenaida macroura</i>	5	5	GB		NonSGCN	
Mourning Warbler	<i>Geothlypis philadelphia</i>	N/A	N/A	SP		NonSGCN	
Mute Swan	<i>Cygnus olor</i>	N/A	N/A	N/A		NonSGCN	Considered exotic though breeds ferally in many areas, not accepted on official list by ABRC
Nashville Warbler	<i>Leiothlypis ruficapilla</i>	N/A	N/A	SP		NonSGCN	
Northern Cardinal	<i>Cardinalis cardinalis</i>	5	5	SP		NonSGCN	
Northern Gannet	<i>Morus bassanus</i>	N/A	N/A	SP		NonSGCN	
Northern Goshawk	<i>Accipiter gentilis</i>	N/A	N/A	SP		NonSGCN	
Northern Mockingbird	<i>Mimus polyglottos</i>	4	4	SP		NonSGCN	
Northern Parula	<i>Setophaga americana</i>	3	5	SP		NonSGCN	
Northern Pintail	<i>Anas acuta</i>	4	4	GB		NonSGCN	
Northern Rough-winged Swallow	<i>Stelgidopteryx serripennis</i>	5	5	SP		NonSGCN	

Northern Saw-whet Owl	<i>Aegolius acadicus</i>	N/A	3	SP		NonSGCN	probably overwinters annually
Northern Shoveler	<i>Spatula clypeata</i>	N/A	N/A	GB		NonSGCN	Occasional breeder TN Valley
Northern Waterthrush	<i>Parkesia noveboracensis</i>	N/A	N/A	SP		NonSGCN	
Northern Wheatear	<i>Oenanthe oenanthe</i>	N/A	N/A	SP		NonSGCN	
Olive-sided Flycatcher	<i>Contopus cooperi</i>	N/A	N/A	SP		NonSGCN	
Orange-crowned Warbler	<i>Leiothlypis celata</i>	N/A	N/A	SP		NonSGCN	
Orchard Oriole	<i>Icterus spurius</i>	4	4	SP		NonSGCN	
Osprey	<i>Pandion haliaetus</i>	4	4	SP		NonSGCN	
Ovenbird	<i>Seiurus aurocapilla</i>	5	4	SP		NonSGCN	
Pacific Loon	<i>Gavia pacifica</i>	N/A	N/A	SP		NonSGCN	
Palm Warbler	<i>Setophaga palmarum</i>	3	4	SP		NonSGCN	
Parasitic Jaeger	<i>Stercorarius parasiticus</i>	N/A	N/A	SP		NonSGCN	
Pectoral Sandpiper	<i>Calidris melanotos</i>	N/A	N/A	SP		NonSGCN	
Peregrine Falcon	<i>Falco peregrinus</i>	3	3	SP	SC	NonSGCN	Attempted recent breeding in Birmingham, last historical breeding 1962, wintering population is doing ok. Increasing in winter.
Philadelphia Vireo	<i>Vireo philadelphicus</i>	N/A	N/A	SP		NonSGCN	
Pied-billed Grebe	<i>Podilymbus podiceps</i>	4	3	SP		NonSGCN	wintering population doing great, edge of range for breeding (localized breeding in small numbers throughout state)
Pileated Woodpecker	<i>Dryocopus pileatus</i>	4	4	SP		NonSGCN	
Pine Siskin	<i>Spinus pinus</i>	5	4	SP		NonSGCN	
Pine Warbler	<i>Setophaga pinus</i>	5	5	SP		NonSGCN	
Pomarine Jaeger	<i>Stercorarius pomarinus</i>	N/A	N/A	SP		NonSGCN	
Prairie Falcon	<i>Falco mexicanus</i>	N/A	N/A	SP		NonSGCN	
Prairie Warbler	<i>Dendroica discolor</i>	3	4	SP		NonSGCN	Population is doing well.
Purple Finch	<i>Haemorhous purpureus</i>	4	4	SP		NonSGCN	
Purple Sandpiper	<i>Calidris maritima</i>	N/A	N/A	SP		NonSGCN	
Red Crossbill	<i>Loxia curvirostra</i>	4	3	SP		NonSGCN	stable at Coleman Lake in Talladega. Small population with unique habitat/vulnerability, distribution in Alabama
Red Phalarope	<i>Phalaropus fulicarius</i>	N/A	N/A	SP		NonSGCN	
Red-bellied Woodpecker	<i>Melanerpes carolinus</i>	4	5	SP		NonSGCN	
Red-breasted Merganser	<i>Mergus serrator</i>	5	5	GB		NonSGCN	

Red-breasted Nuthatch	<i>Sitta canadensis</i>	5	5	SP		NonSGCN	
Red-eyed Vireo	<i>Vireo olivaceus</i>	5	5	SP		NonSGCN	
Redhead	<i>Aythya americana</i>	3	4	GB		NonSGCN	
Red-headed Woodpecker	<i>Melanerpes erythrocephalus</i>	3	3	SP		NonSGCN	snag dependent- habitat vulnerability, declining slightly.
Red-necked Grebe	<i>Podiceps grisegena</i>	N/A	N/A	SP		NonSGCN	
Red-necked Phalarope	<i>Phalaropus lobatus</i>	N/A	N/A	SP		NonSGCN	
Red-shouldered Hawk	<i>Buteo lineatus</i>	4	4	SP		NonSGCN	
Red-tailed Hawk	<i>Buteo jamaicensis</i>	4	5	SP		NonSGCN	
Red-throated Loon	<i>Gavia stellata</i>	N/A	N/A	SP		NonSGCN	
Red-winged Blackbird	<i>Agelaius phoeniceus</i>	4	4	N/A		NonSGCN	
Ring-billed Gull	<i>Larus delawarensis</i>	5	5	SP		NonSGCN	
Ring-necked Duck	<i>Aythya collaris</i>	5	5	GB		NonSGCN	
Ring-necked Pheasant	<i>Phasianus colchicus</i>	N/A	N/A	N/A		NonSGCN	
Rock Dove	<i>Columba livia</i>	N/A	N/A	N/A		NonSGCN	
Roseate Spoonbill	<i>Platalea ajaja</i>	N/A	N/A	SP		NonSGCN	
Roseate Tern	<i>Sterna dougallii</i>	N/A	N/A	SP	LT	NonSGCN	
Rose-breasted Grosbeak	<i>Pheucticus ludovicianus</i>	N/A	N/A	SP		NonSGCN	
Ross' Goose	<i>Anser rossii</i>	NR	NR	GB		NonSGCN	Significant increase recent decades
Rough-legged Hawk	<i>Buteo lagopus</i>	3	N/A	SP		NonSGCN	
Royal Tern	<i>Thalasseus maximus</i>	4	4	SP		NonSGCN	
Ruby-crowned Kinglet	<i>Corthylio calendula</i>	N/A	N/A	SP		NonSGCN	
Ruby-throated Hummingbird	<i>Archilochus colubris</i>	4	5	SP		NonSGCN	
Ruddy Duck	<i>Oxyura jamaicensis</i>	4	4	GB		NonSGCN	
Ruddy Turnstone	<i>Arenaria interpres</i>	3	3	SP		NonSGCN	common shorebird on the coast.
Ruff	<i>Calidris pugnax</i>	N/A	N/A	SP		NonSGCN	
Ruffed Grouse	<i>Bonasa umbellus</i>	3	3	GBNOS		NonSGCN	peripheral range, tiny breeding population Jackson Co, but unreported since 2006
Rufous Hummingbird	<i>Selasphorus rufus</i>	N/A	N/A	SP		NonSGCN	Significant increase recent decades, now regular wintering
Sanderling	<i>Calidris alba</i>	4	4	SP		NonSGCN	
Sandhill Crane	<i>Antigone canadensis</i>	N/A	N/A	SP		NonSGCN	Marked increase in wintering birds last 20 years.

Savannah Sparrow	<i>Passerculus sandwichensis</i>	4	4	SP		NonSGCN	
Say's Phoebe	<i>Sayornis saya</i>	N/A	N/A	SP		NonSGCN	
Scarlet Tanager	<i>Piranga olivacea</i>	4	5	SP		NonSGCN	Slowly expanding southward as breeder.
Scissor-tailed Flycatcher	<i>Tyrannus forficatus</i>	4	4	SP		NonSGCN	peripheral distribution, expanding range
Sedge Wren	<i>Cistothorus stellaris</i>	4	4	SP		NonSGCN	
Semipalmated Plover	<i>Charadrius semipalmatus</i>	3	3	SP		NonSGCN	population good in Alabama overwintering
Semipalmated Sandpiper	<i>Calidris pusilla</i>	N/A	N/A	SP		NonSGCN	
Sharp-shinned Hawk	<i>Accipiter striatus</i>	3	4	SP		NonSGCN	declining.
Shiny Cowbird	<i>Molothrus bonariensis</i>	N/A	N/A	N/A		NonSGCN	
Short-billed Dowitcher	<i>Limnodromus griseus</i>	3	3	SP		NonSGCN	population is good, seen regularly
Short-eared Owl	<i>Asio flammeus</i>	2	2	SP		NonSGCN	peripheral/rare in winter, can't be managed in Alabama.
Smith's Longspur	<i>Calcarius pictus</i>	N/A	N/A	SP		NonSGCN	
Snow Goose	<i>Anser caerulescens</i>	4	5	GB		NonSGCN	
Snowy Egret	<i>Egretta thula</i>	4	4	SP		NonSGCN	
Solitary Sandpiper	<i>Tringa solitaria</i>	N/A	N/A	SP		NonSGCN	
Song Sparrow	<i>Melospiza melodia</i>	5	5	SP		NonSGCN	slowly expanding breeding range North AL
Sooty Shearwater	<i>Ardenna grisea</i>	N/A	N/A	SP		NonSGCN	
Sooty Tern	<i>Onychoprion fuscatus</i>	N/A	3	SP		NonSGCN	peripheral, offshore pelagic vagrant, casual breeding coastal barrier islands
Sora	<i>Porzana carolina</i>	4	4	GB		NonSGCN	
Spotted Sandpiper	<i>Actitis macularius</i>	3	3	SP		NonSGCN	more common migrant, transient
Sprague's Pipit	<i>Anthus spragueii</i>	N/A	N/A	SP	C	NonSGCN	
Stilt Sandpiper	<i>Calidris himantopus</i>	N/A	N/A	SP		NonSGCN	
Stoddard's Yellow-throated Warbler	<i>Setophaga dominica stoddardi</i>	N/A	N/A	SP	SC	NonSGCN	not valid subspecies
Summer Tanager	<i>Piranga rubra</i>	5	5	SP		NonSGCN	
Surf Scoter	<i>Melanitta perspicillata</i>	N/A	N/A	GB		NonSGCN	
Swainson's Hawk	<i>Buteo swainsoni</i>	N/A	N/A	SP		NonSGCN	
Swainson's Thrush	<i>Catharus ustulatus</i>	N/A	N/A	SP		NonSGCN	
Swainson's Warbler	<i>Limnothlypis swainsonii</i>	2	4	SP		NonSGCN	increasling locally north AL
Swamp Sparrow	<i>Melospiza georgiana</i>	4	5	SP		NonSGCN	

Tennessee Warbler	<i>Leiothlypis peregrina</i>	N/A	N/A	SP		NonSGCN	
Thayer's Gull	<i>Larus thayeri</i>	N/A	N/A	SP		NonSGCN	Needs to be deleted as Lumped with Iceland Gull now.
Tree Swallow	<i>Tachycineta bicolor</i>	5	5	SP		NonSGCN	
Trumpeter Swan	<i>Cygnus buccinator</i>	N/A	N/A	N/A		NonSGCN	
Tufted Titmouse	<i>Baeolophus bicolor</i>	5	5	SP		NonSGCN	
Tundra Swan	<i>Cygnus columbianus</i>	4	4	SP		NonSGCN	
Turkey Vulture	<i>Cathartes aura</i>	5	5	SP		NonSGCN	
Upland Sandpiper	<i>Bartramia longicauda</i>	N/A	N/A	SP		NonSGCN	
Veery	<i>Catharus fuscescens</i>	N/A	N/A	SP		NonSGCN	Single historical confirmed nesting Jackson Co.
Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>	N/A	N/A	SP		NonSGCN	
Virginia Rail	<i>Rallus limicola</i>	4	4	GB		NonSGCN	
Warbling Vireo	<i>Vireo gilvus</i>	4	3	SP		NonSGCN	only peripheral breeder in low numbers in western TN Valley, abundant outside AL
Western Grebe	<i>Aechmophorus occidentalis</i>	N/A	N/A	SP		NonSGCN	
Western Kingbird	<i>Tyrannus verticalis</i>	N/A	N/A	SP		NonSGCN	
Western Meadowlark	<i>Sturnella neglecta</i>	N/A	N/A	SP		NonSGCN	
Western Sandpiper	<i>Calidris mauri</i>	3	3	SP		NonSGCN	numbers declining but relatively common
Western Tanager	<i>Piranga ludoviciana</i>	N/A	N/A	SP		NonSGCN	
Whimbrel	<i>Numenius phaeopus</i>	N/A	N/A	SP		NonSGCN	
White Ibis	<i>Eudocimus albus</i>	3	4	SP		NonSGCN	
White-breasted Nuthatch	<i>Sitta carolinensis</i>	4	5	SP		NonSGCN	
White-cheeked Pintail	<i>Anas bahamensis</i>	N/A	N/A	GB		NonSGCN	removed from AOS list
White-crowned Pigeon	<i>Patagioenas leucocephala</i>	N/A	N/A	N/A		NonSGCN	
White-crowned Sparrow	<i>Zonotrichia leucophrys</i>	4	4	SP		NonSGCN	
White-eyed Vireo	<i>Vireo griseus</i>	4	5	SP		NonSGCN	
White-faced Ibis	<i>Plegadis chihi</i>	N/A	N/A	SP		NonSGCN	
White-rumped Sandpiper	<i>Calidris fuscicollis</i>	N/A	N/A	SP		NonSGCN	
White-tailed Kite	<i>Elanus leucurus</i>	N/A	N/A	SP		NonSGCN	

White-throated Sparrow	<i>Zonotrichia albicollis</i>	4	4	SP		NonSGCN	
White-winged Dove	<i>Zenaida asiatica</i>	4	5	GB		NonSGCN	significant expansion as breeder south AL, local inland.
White-winged Scoter	<i>Melanitta deglandi</i>	N/A	N/A	GB		NonSGCN	
Wild Turkey	<i>Meleagris gallopavo</i>	4	5	GB		NonSGCN	
Western Willet	<i>Tringa semipalmata inornata</i>	4	4	SP		NonSGCN	wintering population is stable
Willow Flycatcher	<i>Empidonax traillii</i>	N/A	3	SP	SC	NonSGCN	Peripheral, low-level local breeder, mostly in TN Valley and casually Hale Co. Possible nesting Cherokee and Shelby Co.
Wilson's Phalarope	<i>Phalaropus tricolor</i>	N/A	N/A	SP		NonSGCN	
Wilson's Storm-petrel	<i>Oceanites oceanicus</i>	N/A	N/A	SP		NonSGCN	
Wilson's Warbler	<i>Cardellina pusilla</i>	N/A	N/A	SP		NonSGCN	
Winter Wren	<i>Troglodytes hiemalis</i>	4	5	SP		NonSGCN	
Wood Duck	<i>Aix sponsa</i>	4	4	GB		NonSGCN	
Wood Thrush	<i>Hylocichla mustelina</i>	2	3	SP		NonSGCN	stable population
Worm-eating Warbler	<i>Helmitheros vermivorum</i>	2	4	SP		NonSGCN	increasing population
Yellow Warbler	<i>Setophaga petechia</i>	5	4	SP		NonSGCN	Decreasing recent decades as breeder north AL.
Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>	N/A	N/A	SP		NonSGCN	
Yellow-bellied Sapsucker	<i>Sphyrapicus varius</i>	4	4	SP		NonSGCN	
Yellow-billed Cuckoo	<i>Coccyzus americanus</i>	4	4	SP		NonSGCN	
Yellow-breasted Chat	<i>Icteria virens</i>	5	4	SP		NonSGCN	
Yellow-crowned Night-Heron	<i>Nyctanassa violacea</i>	3	4	SP		NonSGCN	more widespread than black-crowned night-heron
Yellow-headed Blackbird	<i>Xanthocephalus xanthocephalus</i>	N/A	N/A	N/A		NonSGCN	
Yellow-rumped Warbler	<i>Setophaga coronata</i>	5	5	SP		NonSGCN	
Yellow-throated Vireo	<i>Vireo flavifrons</i>	4	4	SP		NonSGCN	
Yellow-throated Warbler	<i>Setophaga dominica</i>	N/A	N/A	SP		NonSGCN	

Yellow-throated Warbler	<i>Setophaga dominica dominica</i>	N/A	N/A	SP		NonSGCN	
Scaly-breasted Munia	Lonchura punctulata					NonSGCN	AL Bird Records Committee is now considering this an established introduced bird and it has been placed on the main list of species that occur in Alabama. Populations have exploded on the coast, and birds are now appearing even inland in a few areas.